



Part Number	Configuration	Type Channel	V _{DSS} (V) Drain-Source Voltage	V _{GS} (V) Gate-Source Voltage	R _{DS(on)} (Ω) Static Drain-Source On Resistance	I _D (A) Continuous Drain Current	P _D (W) Power Dissipation	Package
<input type="text"/> Keyword Reset 473 Records	Configuration ▾	Type ▾	ALL ▾			ALL ▾	ALL ▾	Case ▾
SS5829P	Single	P	-20	± 8	110 (mΩ)	-2.5	2.1	1206-8CF
SDT1216	Single	P	-12	± 8	21 (mΩ)	-16	2.5	DFN2x2-6J
SDT3005	Single	N	30	± 10	42 (mΩ)	5	0.5	DFN2x2-6J
SDT6N06-C	Single	N	60	± 20	44 (mΩ)	6	2.4	DFN2x2-6J
SDT3A5N06-C	Single	N	60	± 20	100 (mΩ)	3.5	2	DFN2x2-6J
SDT9A5P02	Single	P	-20	± 8	24 (mΩ)	-9.5	2.4	DFN2x2-6J
SDT2P02	Dual	P	-20	± 8	200 (mΩ)	-2.2	1.5	DFN2x2-6L-J
SDT3N03	Dual	N	30	± 20	55 (mΩ)	3.5	1.5	DFN2x2-6L-J
SDT517	Dual	N	12	± 12	24 (mΩ)	6	0.74	DFN2x2-6L-J
-	-	P	-12	± 12	45 (mΩ)	-4.1	0.74	-
SDT3585S	Dual	N	20	± 12	37 (mΩ)	5	1.5	DFN2x2-6L-J
-	-	P	-20	± 12	75 (mΩ)	-3.5	1.5	-
SDT2P03-C	Dual	P	-30	± 20	120 (mΩ)	-2.4	1.5	DFN2x2-6L-J
SDF920NE	Dual	N	20	± 12	22 (mΩ)	11	3.5	DFN2x5
SSPRD6560-C	Dual	N	60	± 20	45 (mΩ)	6.8	3.78	DFN3x3-8D
-	-	P	-60	± 20	82 (mΩ)	-5.1	3.78	-
SCP35N03J	Single	N	30	± 20	7 (mΩ)	35	1.5	DFN3x3-8J
SSPS7332N	Single	N	30	± 20	13.5 (mΩ)	17	3.5	DFN3x3-8PP
SSPS7321P	Single	P	-20	± 8	14 (mΩ)	-13	3.5	DFN3x3-8PP
SSPS7330N	Single	N	30	± 20	22 (mΩ)	11	3.5	DFN3x3-8PP
SSPS7333P	Single	P	-30	± 20	20 (mΩ)	-10.9	3.5	DFN3x3-8PP
SSPS7331P-C	Single	P	-30	± 20	13 (mΩ)	-13.4	3.5	DFN3x3-8PP
SSPS922NE	Dual	N	20	± 8	17.5 (mΩ)	8.2	1.5	DFN3x3-8PP
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSPS924NE	Dual	N	20	± 8	12 (mΩ)	9.2	1.5	DFN3x3-8PP
SSPS7630N	Dual	N	30	± 20	19 (mΩ)	9.4	2.5	DFN3x3-8PP
SSPS7100N	Single	N	100	± 20	62 (mΩ)	6.2	3.5	DFN3x3-8PP
SSPS7308NA	Single	N	30	± 20	9 (mΩ)	17	3.5	DFN3x3-8PP
SSPS920NE	Dual	N	20	± 8	20 (mΩ)	7.1	1.5	DFN3x3-8PP
SSPS7338N	Single	N	30	± 20	6.9 (mΩ)	19	3.5	DFN3x3-8PP
SPRD4504-C	Dual	N	40	± 20	30 (mΩ)	24	35.7	DFN5x6-8D
-	-	P	-40	± 20	40 (mΩ)	-21	35.7	-
SPRD4511-C	Dual	N	100	± 20	150 (mΩ)	11	35.7	DFN5x6-8D
-	-	P	-100	± 20	210 (mΩ)	-9	35.7	-
SPRD6560-C	Dual	N	60	± 20	45 (mΩ)	23	41.7	DFN5x6-8D
-	-	P	-60	± 20	82 (mΩ)	-19	41.7	-
SSPF7490N	Single	N	150	± 20	48 (mΩ)	8.3	5	DFN5x6-8PP
SSRF02N65SL	Single	N	650	± 30	4.8 (Ω)	2	25	ITO-220
SSRF04N65SL	Single	N	650	± 30	2.7 (Ω)	4	33	ITO-220
SSRF06N60SL	Single	N	600	± 30	1.5 (Ω)	6	42	ITO-220
SSRF10N60SL	Single	N	600	± 30	1000 (mΩ)	10	50	ITO-220
SSRF07N80SL	Single	N	800	± 30	1.6 (Ω)	7	50	ITO-220
SSRF08N70SL	Single	N	700	± 30	1200 (mΩ)	8	52	ITO-220
SSRF12N65SL	Single	N	650	± 30	800 (mΩ)	12	51	ITO-220
SSRF03N80SL	Single	N	800	± 30	4.8 (Ω)	3	39	ITO-220
SSRF02N80SL	Single	N	800	± 30	6.1 (Ω)	2	33	ITO-220
SSRF06N70SL	Single	N	700	± 30	1.7 (Ω)	6	45	ITO-220
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSRF07N65SL	Single	N	650	± 30	1400 (mΩ)	7	46	ITO-220
SSRF04N60SL	Single	N	600	± 30	2.4 (Ω)	4	33	ITO-220
SSQF02N60J	Single	N	600	± 20	4.4 (Ω)	2	2	ITO-220J
SSQF04N60J	Single	N	600	± 30	3 (Ω)	4	2	ITO-220J
SPR80N03	Single	N	30	± 20	5.5 (mΩ)	80	53	PR-8PP

SPR1084N03	Single	N	30	± 20	4 (mΩ)	108	69	PR-8PP
SPR45N10	Single	N	100	± 20	22 (mΩ)	45	90	PR-8PP
SPR22N10	Single	N	100	± 20	48 (mΩ)	22	52.1	PR-8PP
SPR12N10	Single	N	100	± 20	112 (mΩ)	12	34.7	PR-8PP
SPR50N03	Single	N	30	± 20	9 (mΩ)	51	46	PR-8PP
SPR35P03	Single	P	-30	± 20	27 (mΩ)	-35	37.5	PR-8PP
SPR45P03	Single	P	-30	± 20	15 (mΩ)	-45	48	PR-8PP
SPR40N06	Single	N	60	± 20	12 (mΩ)	40	69	PR-8PP
SPR14P10	Single	P	-100	± 20	90 (mΩ)	-14	42	PR-8PP
SPR4A6N15-C	Single	N	150	± 20	160 (mΩ)	4.6	5	PR-8PP
SPR17P02	Single	P	-20	± 12	11 (mΩ)	-17	5	PR-8PP
SPR50P03-C	Single	P	-30	± 20	10 (mΩ)	-50	48	PR-8PP
SPR60N04-C	Single	N	40	± 20	8.5 (mΩ)	60	52	PR-8PP
SMG2302-C	Single	N	20	± 12	37 (mΩ)	4.9	1.38	SC-59
SMG3402	Single	N	30	± 20	30 (mΩ)	4.6	1.38	SC-59
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SMG2306A-C	Single	N	30	± 12	35 (mΩ)	5	1.38	SC-59
SMG3400	Single	N	30	± 12	28 (mΩ)	5.8	1.38	SC-59
SMG2301-C	Single	P	-20	± 12	75 (mΩ)	-3.5	1.38	SC-59
SMG2305-C	Single	P	-20	± 12	53 (mΩ)	-4.2	1.38	SC-59
SMG2305A-C	Single	P	-30	± 12	60 (mΩ)	-4.2	1.4	SC-59
SMG3401-C	Single	P	-30	± 12	50 (mΩ)	-4.2	1.4	SC-59
SMG3403	Single	P	-30	± 20	75 (mΩ)	-3.7	1.38	SC-59
SMG3407	Single	P	-30	± 20	50 (mΩ)	-4.5	1.38	SC-59
SMG2328	Single	N	100	± 20	250 (mΩ)	1.5	1	SC-59
SMG2359P	Single	P	-60	± 20	381 (mΩ)	-1.7	1.3	SC-59
SMG2339P	Single	P	-30	± 12	57 (mΩ)	-3.6	1.25	SC-59
SMG2390N	Single	N	150	± 20	700 (mΩ)	1.1	1.3	SC-59
SMG2329P	Single	P	-30	± 20	112 (mΩ)	-2.5	1.3	SC-59
SMG2343P	Single	P	-30	± 25	57 (mΩ)	-3.6	1.25	SC-59
SMG2343PE	Single	P	-30	± 20	57 (mΩ)	-3.9	1.3	SC-59
SMG2327P	Single	P	-20	± 8	52 (mΩ)	-3.6	1.25	SC-59
SMG2398N	Single	N	60	± 20	194 (mΩ)	2.2	1.3	SC-59
SMG2398NE	Single	N	60	± 20	194 (mΩ)	2.2	1.3	SC-59
SMG2358N	Single	N	60	± 20	92 (mΩ)	3.1	1.3	SC-59
SMG2342N	Single	N	40	± 20	86 (mΩ)	5.2	1.3	SC-59
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SMG2340N	Single	N	40	± 20	43 (mΩ)	5.2	1.3	SC-59
SMG2370N	Single	N	100	± 20	280 (mΩ)	1.8	1.3	SC-59
SMG2340NE	Single	N	40	± 20	43 (mΩ)	5.2	1.3	SC-59
SMG2342NE	Single	N	40	± 20	86 (mΩ)	5.2	1.3	SC-59
SMG2328NE	Single	N	20	± 8	22 (mΩ)	6.3	1.3	SC-59
SMG2325P	Single	P	-20	± 12	55 (mΩ)	-3.6	1.25	SC-59
SMG2305PE	Single	P	-20	± 8	43 (mΩ)	-4.5	1.25	SC-59
SMG2314NE	Single	N	20	± 12	32 (mΩ)	4	1.3	SC-59
SMG2310N	Single	N	30	± 8	65 (mΩ)	2.2	0.5	SC-59
SMG2302N	Single	N	20	± 8	76 (mΩ)	3.4	1.25	SC-59
SMG2326N	Single	N	20	± 8	70 (mΩ)	2.2	1.25	SC-59
SMG2334N	Single	N	30	± 12	60 (mΩ)	3.5	1.3	SC-59
SMG2371P	Single	P	-100	± 20	1200 (mΩ)	-1	1.3	SC-59
SMG2306N	Single	N	30	± 20	58 (mΩ)	3.5	1.3	SC-59
SMG2306NE	Single	N	30	± 20	58 (mΩ)	3.5	1.3	SC-59
SMG2319P	Single	P	-30	± 20	200 (mΩ)	-2.1	1.25	SC-59
SMG2321P	Single	P	-20	± 8	79 (mΩ)	-4.1	1.25	SC-59
SMG2322N	Single	N	30	± 20	85 (mΩ)	2.5	1.25	SC-59
SMG2330N	Single	N	30	± 20	32 (mΩ)	5.2	1.3	SC-59
SMG2305P	Single	P	-20	± 8	43 (mΩ)	-4.5	1.3	SC-59
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SMG2314N	Single	N	20	± 12	32 (mΩ)	5.3	1.3	SC-59
SMG2343	Single	P	-30	± 20	45 (mΩ)	-4.1	1.38	SC-59
SMG5409-C	Single	P	-30	± 20	120 (mΩ)	-2.6	1.32	SC-59
SMG5406	Single	N	30	± 20	65 (mΩ)	3.6	1.38	SC-59
SMG2318N	Single	N	30	± 20	250 (mΩ)	1	0.8	SC-59
SMG2336N	Single	N	30	± 12	32 (mΩ)	5.3	1.3	SC-59
SMG5403	Single	P	-30	± 12	115 (mΩ)	-2.6	1.38	SC-59

SMG2328S	Single	N	100	± 20	310 (mΩ)	1.2	1	SC-59
SMG2307PE	Single	P	-20	± 10	31 (mΩ)	-5.2	1.3	SC-59
SMG5402	Single	N	30	± 12	55 (mΩ)	4	1.38	SC-59
SMG2310B	Single	N	60	± 20	100 (mΩ)	2.3	1	SC-59
SMG2392N	Single	N	150	± 20	2.6 (Ω)	0.6	1.3	SC-59
SMG2345P	Single	P	-40	± 20	164 (mΩ)	-3.2	1.25	SC-59
SMG2345PE	Single	P	-40	± 20	164 (mΩ)	-3.2	1.25	SC-59
SMG2361P	Single	P	-60	± 20	210 (mΩ)	-3.4	1.3	SC-59
SMG2321-C	Single	P	-40	± 20	45 (mΩ)	-4.5	1.38	SC-59
SSG6618-C	Single	N	30	± 20	18 (mΩ)	7.3	1.5	SOP-8
SSG4224	Dual	N	30	± 20	14 (mΩ)	10	2	SOP-8
SSG4501	Dual	N	30	± 20	28 (mΩ)	7	2	SOP-8
-	-	P	-30	± 16	50 (mΩ)	-5.3	2	-
SSG4503	Dual	N	30	± 20	25 (mΩ)	6.9	1.5	SOP-8
-	-	P	-30	± 20	36 (mΩ)	-6.3	1.5	-
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSG4801	Dual	P	-30	± 12	50 (mΩ)	-5	2	SOP-8
SSG4953BDY ^①	Dual	P	-30	± 20	42 (mΩ)	-5	2	SOP-8
SSG4953	Dual	P	-30	± 20	45 (mΩ)	-6	1.5	SOP-8
SSG4935P	Dual	P	-30	± 25	21 (mΩ)	-7.8	2	SOP-8
SSG4920N	Dual	N	30	± 20	34 (mΩ)	6.9	2.1	SOP-8
SSG4902N	Dual	N	60	± 20	35 (mΩ)	6.4	2.1	SOP-8
SSG4362N	Single	N	30	± 20	6 (mΩ)	18.6	3.1	SOP-8
SSG4410N	Single	N	30	± 20	13.5 (mΩ)	13	3.1	SOP-8
SSG4434N	Single	N	30	± 12	7 (mΩ)	18.6	3.1	SOP-8
SSG4480N	Single	N	80	± 20	41 (mΩ)	7.1	3.1	SOP-8
SSG4490N	Single	N	100	± 20	78 (mΩ)	5.2	3.1	SOP-8
SSG4542C	Dual	N	40	± 20	27 (mΩ)	8.3	2.1	SOP-8
-	-	P	-40	± 20	40 (mΩ)	-7.6	2.1	-
SSG4502C	Dual	N	30	± 20	16 (mΩ)	10	2.1	SOP-8
-	-	P	-30	± 20	23 (mΩ)	-8.5	2.1	-
SSG4543C	Dual	N	40	± 20	42 (mΩ)	6.5	2.1	SOP-8
-	-	P	-40	± 20	40 (mΩ)	-7.6	2.1	-
SSG4841P	Single	P	-40	± 20	35 (mΩ)	-9	3.1	SOP-8
SSG4835P	Single	P	-30	± 25	19 (mΩ)	-9.5	3.1	SOP-8
SSG4874N	Single	N	30	± 20	9 (mΩ)	16.8	3.1	SOP-8
SSG4825P	Single	P	-30	± 25	13 (mΩ)	-11.5	3.1	SOP-8
SSG4825PE	Single	P	-30	± 25	13 (mΩ)	-11.5	3.1	SOP-8
SSG4932N	Dual	N	30	± 12	13.5 (mΩ)	10	2.1	SOP-8
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSG4930N	Dual	N	30	± 12	58 (mΩ)	5	2.1	SOP-8
SSG4402N	Single	N	60	± 20	38 (mΩ)	6.7	3.1	SOP-8
SSG4462N	Single	N	60	± 20	22 (mΩ)	9.7	3.1	SOP-8
SSG4910N	Dual	N	30	± 20	13.5 (mΩ)	10	2.1	SOP-8
SSG6612N	Single	N	30	± 20	22 (mΩ)	9.4	3.1	SOP-8
SSG4890N	Dual	N	150	± 20	700 (mΩ)	1.4	2.1	SOP-8
SSG4990N	Dual	N	100	± 20	81 (mΩ)	10	2.1	SOP-8
SSG4953P	Dual	P	-30	± 25	52 (mΩ)	-5.2	2.1	SOP-8
SSG4942N	Dual	N	40	± 20	80 (mΩ)	4.4	2.1	SOP-8
SSG9435P	Single	P	-30	± 20	48 (mΩ)	-5	2.5	SOP-8
SSG4492N	Single	N	100	± 20	26 (mΩ)	9	3.1	SOP-8
SSG4228	Dual	N	30	± 20	18 (mΩ)	8.9	2.1	SOP-8
SSG4436N	Single	N	30	± 20	4.6 (mΩ)	22	3.1	SOP-8
SSG4390N	Single	N	150	± 20	625 (mΩ)	1.9	3.1	SOP-8
SSG4499P	Single	P	-60	± 20	45 (mΩ)	-6.8	3.1	SOP-8
SSG4463P	Single	P	-20	± 12	11.5 (mΩ)	-13.4	3.1	SOP-8
SSG5509A	Dual	N	30	± 12	30 (mΩ)	6.1	2	SOP-8
-	-	P	-30	± 12	55 (mΩ)	-4.8	2	-
SSG9435BDY	Single	P	-30	± 20	36 (mΩ)	-5.3	2.5	SOP-8
SSG4407P	Single	P	-30	± 25	9 (mΩ)	-15	3.1	SOP-8
SSG4520H	Dual	N	20	± 8	47 (mΩ)	6.6	3.1	SOP-8
-	-	P	-20	± 8	79 (mΩ)	-5.2	3.1	-
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSG4940N	Dual	N	40	± 20	22 (mΩ)	8.3	2.1	SOP-8
SSG4842N	Single	N	40	± 20	9 (mΩ)	23	3.1	SOP-8

SSG4502CE	Dual	N	30	± 20	16 (mΩ)	10	2.1	SOP-8
-	-	P	-30	± -25	16 (mΩ)	-8.5	2.1	-
SSG4512CE	Dual	N	30	± 20	31 (mΩ)	6.9	2.1	SOP-8
-	-	P	-30	± 20	31 (mΩ)	-5.2	2.1	-
SSG4940NC	Dual	N	40	± 20	23 (mΩ)	8.3	2.1	SOP-8
SSG4902NA	Dual	N	60	± 20	41 (mΩ)	6.4	2.1	SOP-8
SSG4934N	Dual	N	30	± 20	18 (mΩ)	8.9	2.1	SOP-8
SSG4510	Dual	N	100	± 20	112 (mΩ)	3.5	2	SOP-8
-	-	P	-100	± 20	200 (mΩ)	-2.5	2	-
SSG4394N	Single	N	150	± 20	50 (mΩ)	6.5	3.1	SOP-8
SSG4530C	Dual	N	30	± 20	82 (mΩ)	5.3	1.3	SOP-8
-	-	P	-30	± 20	80 (mΩ)	-5.2	1.3	-
SSG4536C	Dual	N	30	± 20	28 (mΩ)	7.1	2.1	SOP-8
-	-	P	-30	± 20	39 (mΩ)	-6	2.1	-
SSG4407PE	Single	P	-30	± 20	9 (mΩ)	-15	3.1	SOP-8
SSG9926N	Single	N	20	± 12	30 (mΩ)	6.9	2.1	SOP-8
SSG4401P	Single	P	-150	± 20	160 (mΩ)	-3.6	3.1	SOP-8
SSG4472N	Single	N	200	± 20	78 (mΩ)	5.1	3.1	SOP-8
SSG4396N	Single	N	150	± 20	110 (mΩ)	4.4	3.1	SOP-8
SSG9904	Dual	N	40	± 20	30 (mΩ)	7.2	2.5	SOP-8
SSG4504	Dual	N	40	± 20	30 (mΩ)	7.2	2.5	SOP-8
-	-	P	-40	± 20	40 (mΩ)	-6.5	2.5	-
SSG9435J-C	Single	P	-30	± 20	50 (mΩ)	-5.1	2	SOP-8
SSG9971A	Dual	N	60	± 20	36 (mΩ)	5	1.5	SOP-8
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSG13P03	Single	P	-30	± 20	15 (mΩ)	-13	1.5	SOP-8
SSG2601	Dual	N	20	± 12	25 (mΩ)	6.3	1.5	SOP-8
-	-	P	-20	± 12	75 (mΩ)	-5.3	1.5	-
SSG4822J-C	Dual	N	30	± 20	16 (mΩ)	8.5	1.4	SOP-8
SSG10N03	Dual	N	30	± 20	9 (mΩ)	10	1.5	SOP-8
SSG7328J-C	Dual	P	-30	± 20	21 (mΩ)	-8	1.4	SOP-8
SSG4407J-C	Single	P	-30	± 20	13 (mΩ)	-12	1.4	SOP-8
SSG4438J-C	Single	N	60	± 20	22 (mΩ)	8.2	1.25	SOP-8
SSG4406J-C	Single	N	30	± 20	12 (mΩ)	10	1.4	SOP-8
SSG4410J-C	Single	N	30	± 20	13.5 (mΩ)	7.5	1.4	SOP-8
SSG07N10J-C	Single	N	100	± 20	28 (mΩ)	7	1.4	SOP-8
SSG05N10J-C	Dual	N	100	± 20	140 (mΩ)	5	1.4	SOP-8
SSG9926J-C	Dual	N	20	± 12	30 (mΩ)	4.8	1.25	SOP-8
SSG60P05J-C	Single	P	-60	± 20	80 (mΩ)	-5	1.25	SOP-8
SSG4459J-C	Single	P	-30	± 20	46 (mΩ)	-6.5	1.4	SOP-8
SSG4503J-C	Dual	N	30	± 20	28 (mΩ)	6.9	1.4	SOP-8
-	-	P	-30	± 20	36 (mΩ)	-6.3	1.4	-
SSG3110	Dual	N	100	± 20	310 (mΩ)	2.2	1.5	SOP-8
SSG1A6P15	Single	P	-150	± 20	780 (mΩ)	-1.6	3	SOP-8
SSG07P06	Single	P	-60	± 20	40 (mΩ)	-7	3.1	SOP-8
SSG04N15-C	Single	N	150	± 25	70 (mΩ)	4.5	3.1	SOP-8
SSG4503A-C	Dual	N	30	± 20	18 (mΩ)	11	2	SOP-8
-	-	P	-30	± 20	20 (mΩ)	-10.4	2	-
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSG19N04-C	Single	N	40	± 20	8.5 (mΩ)	19	1.5	SOP-8
SSG4411-C	Single	P	-30	± 20	32 (mΩ)	-8	1.5	SOP-8
SSP7432N	Single	N	30	± 12	4.9 (mΩ)	24	5	SOP-8PP
SSP7436N	Single	N	30	± 20	4.6 (mΩ)	24	3.1	SOP-8PP
SSP7440N	Single	N	40	± 20	15 (mΩ)	15	5	SOP-8PP
SSP7442N	Single	N	40	± 20	9 (mΩ)	20	5	SOP-8PP
SSP7421P	Single	P	-20	± 8	8.4 (mΩ)	-20	5	SOP-8PP
SSP7431P	Single	P	-30	± 20	13 (mΩ)	-17	5	SOP-8PP
SSP7430N	Single	N	30	± 20	13.5 (mΩ)	16	5	SOP-8PP
SSP7462N	Single	N	60	± 20	22 (mΩ)	13	5	SOP-8PP
SSP7460N	Single	N	60	± 20	26 (mΩ)	12	5	SOP-8PP
SSP7461P	Single	P	-60	± 20	45 (mΩ)	-10	5	SOP-8PP
SSP7481P	Single	P	-80	± 20	75 (mΩ)	-6.7	5	SOP-8PP
SSP7200N	Single	N	200	± 20	400 (mΩ)	3	5	SOP-8PP
SSP7464N	Single	N	60	± 20	82 (mΩ)	6.4	5	SOP-8PP
SSP7411P	Single	P	-100	± 20	95 (mΩ)	-6	5	SOP-8PP
SSP7438N	Single	N	30	± 20	7.5 (mΩ)	22	5	SOP-8PP
SSP7492N	Single	N	150	± 20	88 (mΩ)	6.2	5	SOP-8PP

SSP45N10	Single	N	100	± 20	22 (mΩ)	45	90	SOP-8PP
SSP7444N	Single	N	40	± 20	3 (mΩ)	34	5	SOP-8PP
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSP7404NA	Single	N	30	± 20	2.8 (mΩ)	35	5	SOP-8PP
SSP7450N	Single	N	60	± 20	8.2 (mΩ)	20	5	SOP-8PP
SSP7454N	Single	N	60	± 20	4.9 (mΩ)	26	5	SOP-8PP
SSP7466N	Single	N	60	± 20	6 (mΩ)	20	3.5	SOP-8PP
SSP7468N	Single	N	60	± 20	17 (mΩ)	15	5	SOP-8PP
SSM9971-C	Single	N	60	± 20	36 (mΩ)	5	1.5	SOT-223
SSM0410-C	Single	N	100	± 20	148 (mΩ)	3.5	2.5	SOT-223
SSM452-C	Single	P	-30	± 20	55 (mΩ)	-6	2.7	SOT-223
SSM3055L-C	Single	N	60	± 20	100 (mΩ)	2.8	1.5	SOT-223
SSM01N60SL	Single	N	600	± 30	8.1 (Ω)	1	22	SOT-223
SSM9573-C	Single	P	-60	± 20	175 (mΩ)	-2.7	1.5	SOT-223
SSM1N25E-C	Single	N	250	± 20	1.78 (Ω)	1	2.8	SOT-223
SSM0420S-C	Single	N	200	± 20	360 (mΩ)	2.05	1.5	SOT-223
SSM9577-C	Single	P	-60	± 20	85 (mΩ)	-3.8	1.5	SOT-223
SSM1K35N20	Single	N	200	± 20	1350 (mΩ)	1	2.5	SOT-223
SSM5951	Single	P	-30	± 12	150 (mΩ)	-2.6	1.5	SOT-223
S2N7002	Single	N	60	± 20	7.5 (Ω)	0.115	0.225	SOT-23
SMS4003K	Single	N	30	± 20	1.5 (Ω)	0.56	0.83	SOT-23
S2N7002K	Single	N	60	± 20	7.5 (Ω)	0.115	0.225	SOT-23
2N7002K	Single	N	60	± 20	4 (Ω)	0.3	0.35	SOT-23
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SMS318	Single	N	50	± 20	3.5 (Ω)	0.22	0.35	SOT-23
SMS840	Single	P	-50	± 20	10 (Ω)	-0.13	0.225	SOT-23
SMS2020	Single	N	20	± 6	310 (mΩ)	0.83	0.32	SOT-23
SMS501DE	Single	N	600	± 20	700 (Ω)	0.03	0.5	SOT-23
SMS3415	Single	P	-20	± 8	50 (mΩ)	-4	0.35	SOT-23
SMS2310	Single	N	60	± 20	105 (mΩ)	3	0.35	SOT-23
SMS3400A	Single	N	30	± 12	32 (mΩ)	5.8	1.4	SOT-23
SMS6001	Single	N	60	± 20	2 (Ω)	0.44	0.53	SOT-23
SMS2333	Single	P	-12	± 8	28 (mΩ)	-6	0.35	SOT-23
SMS3401A	Single	P	-30	± 12	60 (mΩ)	-4.2	0.4	SOT-23
SMS2312	Single	N	20	± 8	32 (mΩ)	5	1.4	SOT-23
SMS8810	Single	N	20	± 12	20 (mΩ)	7	0.3	SOT-23
SMS123	Single	N	100	± 20	6 (Ω)	0.17	0.35	SOT-23
SMS3407	Single	P	-30	± 20	60 (mΩ)	-4.1	1.4	SOT-23
SMS3404	Single	N	30	± 20	30 (mΩ)	5.8	0.35	SOT-23
SMS8820	Single	N	20	± 12	21 (mΩ)	7	0.3	SOT-23
SMS2301	Single	P	-20	± 12	75 (mΩ)	-3.1	1	SOT-23
SMS2321	Single	P	-20	± 12	57 (mΩ)	-2.9	0.35	SOT-23
SMS2301R	Single	P	-20	± 12	110 (mΩ)	-3	1	SOT-23
SMS502	Single	P	-50	± 20	8 (Ω)	-0.18	0.42	SOT-23
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SMS2305R	Single	P	-20	± 12	52 (mΩ)	-4.1	1.7	SOT-23
SMS2009E-C	Single	N	20	± 12	350 (mΩ)	0.9	0.38	SOT-23
SMS1520NE-C	Single	N	20	± 12	20 (mΩ)	6.5	1.4	SOT-23
SMS2001-C	Single	P	-20	± 8	200 (mΩ)	-2	1	SOT-23
SST2605	Single	P	-30	± 20	80 (mΩ)	-4	2	SOT-26
SST2604	Single	N	30	± 20	45 (mΩ)	5.5	2	SOT-26
SST4443	Dual	P	-30	± 20	120 (mΩ)	-2.3	1.14	SOT-26
SST3585S	Dual	N	20	± 12	37 (mΩ)	4.3	1.14	SOT-26
-	-	P	-20	± 12	75 (mΩ)	-3.1	1.14	-
SST6601	Dual	N	30	± 12	55 (mΩ)	3.4	1.14	SOT-26
-	-	P	-30	± 12	115 (mΩ)	-2.3	1.14	-
SST2630	Single	N	100	± 20	110 (mΩ)	3.8	2	SOT-26
SST2629S	Single	P	-100	± 20	550 (mΩ)	-1.5	1.1	SOT-26
SST2611B	Single	P	-60	± 20	175 (mΩ)	-2.4	1.1	SOT-26
SST2623J	Dual	P	-30	± 20	130 (mΩ)	-3	0.35	SOT-26
SST3407J	Single	P	-30	± 20	60 (mΩ)	-4.1	0.35	SOT-26
SST3215	Single	N	150	± 20	315 (mΩ)	2.2	3.2	SOT-26
SST8205J	Dual	N	19	± 10	25 (mΩ)	6	0.35	SOT-26
SST8810J	Dual	N	20	± 12	20 (mΩ)	7	1.5	SOT-26
SST2301J	Dual	P	-20	± 8	90 (mΩ)	-2.3	0.35	SOT-26

SST3415J	Single	P	-20	± 8	50 (mΩ)	-4	0.35	SOT-26
SST3215B	Single	N	150	± 20	320 (mΩ)	2.2	3.2	SOT-26
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SST2631-C	Single	P	-100	± 20	220 (mΩ)	-2.5	2	SOT-26
S2N7002W	Single	N	60	± 20	7.5 (Ω)	0.115	0.225	SOT-323
S2N7002KW	Single	N	60	± 20	7.5 (Ω)	0.115	0.225	SOT-323
SSK3018K	Single	N	30	± 20	13 (Ω)	0.1	0.2	SOT-323
SSF1321P	Single	P	-20	± 8	79 (mΩ)	-1.7	0.34	SOT-323
2N7002KW	Single	N	60	± 20	4 (Ω)	0.115	0.2	SOT-323
SSF84W	Single	P	-50	± 20	10 (Ω)	-0.13	0.225	SOT-323
SSF1320N	Single	N	20	± 8	58 (mΩ)	2	0.34	SOT-323
SSF2102-C	Single	N	20	± 8	60 (mΩ)	2.1	0.33	SOT-323
SSF319W	Single	N	50	± 20	3.5 (Ω)	0.2	0.15	SOT-323
SSF3134KW	Single	N	20	± 12	380 (mΩ)	0.75	0.2	SOT-323
SSF7500	Single	N	30	± 12	70 (mΩ)	1.9	0.35	SOT-323
S2N7002SW	Single	N	60	± 20	2.8 (Ω)	0.38	0.42	SOT-323
SSF2101	Single	P	-20	± 8	100 (mΩ)	-1.4	0.29	SOT-323
SSF318WJ-C	Single	N	50	± 20	3.5 (Ω)	0.22	0.3	SOT-323
SSF20K8NE-C	Single	N	20	± 12	350 (mΩ)	0.8	0.34	SOT-323
SSF3139K-C	Single	P	-20	± 12	900 (mΩ)	-0.54	0.35	SOT-323
SUM6K1N	Dual	N	30	± 20	8 (Ω)	0.1	0.15	SOT-363
2N7002KDW	Dual	N	60	± 20	7.5 (Ω)	0.115	0.225	SOT-363
S2N7002DW	Dual	N	60	± 20	7.5 (Ω)	0.115	0.38	SOT-363
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SUM1960NE	Dual	N	60	± 20	2 (Ω)	0.32	0.3	SOT-363
SUM2153	Dual	N	20	± 6	310 (mΩ)	0.81	0.31	SOT-363
SUM318	Dual	N	50	± 20	3.5 (Ω)	0.2	0.38	SOT-363
SUM3439	Dual	N	20	± 12	380 (mΩ)	0.75	0.15	SOT-363
-	-	P	-20	± 12	520 (mΩ)	-0.66	0.15	-
SUM20K8NE	Dual	N	20	± 12	450 (mΩ)	0.76	0.3	SOT-363
SCG3019	Single	N	30	± 20	13 (Ω)	0.1	0.15	SOT-523
2N7002T	Single	N	60	± 25	7.2 (Ω)	0.115	0.15	SOT-523
SCG2019	Single	P	-20	± 5	810 (mΩ)	-0.62	0.28	SOT-523
SCG4153	Single	N	20	± 6	310 (mΩ)	0.8	0.22	SOT-523
2N7002KT	Single	N	60	± 20	7.5 (Ω)	0.115	0.225	SOT-523
SCG3139K-C	Single	P	-20	± 12	900 (mΩ)	-0.5	0.28	SOT-523
SCG4153S	Single	N	20	± 6	570 (mΩ)	0.915	0.15	SOT-523
SCG2035	Single	N	20	± 12	350 (mΩ)	0.65	0.3	SOT-523
SSI2154	Dual	N	20	± 6	310 (mΩ)	0.8	0.22	SOT-563
SSI2007	Dual	N	20	± 6	260 (mΩ)	0.8	0.22	SOT-563
-	-	P	-20	± 8	800 (mΩ)	-0.56	0.22	-
SSI3139J	Dual	P	-20	± 12	520 (mΩ)	-0.66	0.15	SOT-563
SSI3439J	Dual	N	20	± 12	380 (mΩ)	0.75	0.15	SOT-563
-	-	P	-20	± 12	520 (mΩ)	-0.66	0.15	-
SSI2085E-C	Dual	N	20	± 12	450 (mΩ)	0.56	0.28	SOT-563
-	-	P	-20	± 12	900 (mΩ)	-0.5	0.28	-
SSN3541-C	Single	N	30	± 20	8 (Ω)	0.1	0.15	SOT-723
SSN3139K-C	Single	P	-20	± 12	900 (mΩ)	-0.35	0.15	SOT-723
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSN3043-C	Single	N	20	± 10	3.4 (Ω)	0.255	0.31	SOT-723
SSN3134K-C	Single	N	20	± 12	400 (mΩ)	0.56	0.15	SOT-723
SSN318NE-C	Single	N	50	± 20	1.6 (Ω)	0.25	0.15	SOT-723
SSN30K35NE-C	Single	N	30	± 12	700 (mΩ)	0.35	0.15	SOT-723
SWG7002K	Single	N	60	± 20	1.8 (Ω)	0.38	0.25	SOT-883
SGM0410	Single	N	100	± 20	170 (mΩ)	3.5	1.5	SOT-89
SGM0410S	Single	N	100	± 20	310 (mΩ)	2.2	1.5	SOT-89
SGM2310B	Single	N	60	± 20	100 (mΩ)	2.7	1.25	SOT-89
SGM9452J	Single	N	20	± 12	37 (mΩ)	4.2	1	SOT-89
SGM1N25E	Single	N	250	± 20	1.78 (Ω)	1	3.5	SOT-89
SGM1K35N20	Single	N	200	± 20	1350 (mΩ)	1.6	1.25	SOT-89
SSPR46N03	Single	N	30	± 20	9 (mΩ)	46	29	SPR-8PP
SSPR32P03	Single	P	-30	± 20	27 (mΩ)	-32	29	SPR-8PP
SSPR7N10	Single	N	100	± 20	112 (mΩ)	7.5	20.8	SPR-8PP
SSPR18N10	Single	N	100	± 20	48 (mΩ)	18	34.7	SPR-8PP
SSPR42P03	Single	P	-30	± 20	15 (mΩ)	-42	37	SPR-8PP

SSPR5A2P15	Single	P	-150	± 20	780 (mΩ)	-5.2	39	SPR-8PP
SSPR45P03-C	Single	P	-30	± 20	10 (mΩ)	-45	37	SPR-8PP
SSPR48N04-C	Single	N	40	± 20	8.5 (mΩ)	48	32	SPR-8PP
SSQ640J	Single	N	200	± 20	180 (mΩ)	18	2	TO-220J
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSQ04N65J	Single	N	650	± 30	3 (Ω)	4	2	TO-220J
SSQ07N60J	Single	N	600	± 20	1300 (mΩ)	7	2	TO-220J
SSQ04N60J	Single	N	600	± 30	3 (Ω)	4	2	TO-220J
SSA70N90J	Single	N	70	± 20	7.5 (mΩ)	90	2	TO-220J-A
SSA85N80J	Single	N	85	± 20	8.5 (mΩ)	80	2	TO-220J-A
SSA55H12J	Single	N	55	± 20	5.5 (mΩ)	120	2	TO-220J-A
SSE04N65SL	Single	N	650	± 30	2.7 (Ω)	4	100	TO-220P
SSE07N80SL	Single	N	800	± 30	1.6 (Ω)	7	154	TO-220P
SSE12N65SL	Single	N	650	± 30	800 (mΩ)	12	225	TO-220P
SSE08N60SL	Single	N	600	± 30	1200 (mΩ)	8	147	TO-220P
SSE04N60SL	Single	N	600	± 30	2.4 (Ω)	4	100	TO-220P
SSE4N60	Single	N	600	± 30	2.5 (Ω)	4.1	98	TO-220Y
SID55N03①	Single	N	25	± 20	6 (mΩ)	55	62.5	TO-251
SID3055	Single	N	30	± 20	25 (mΩ)	15	28	TO-251
SID40N03	Single	N	30	± 20	21 (mΩ)	36	50	TO-251
SID9971	Single	N	60	± 20	36 (mΩ)	25	39	TO-251
SID9435	Single	P	-30	± 20	55 (mΩ)	-20	31	TO-251
SID05N10	Single	N	100	± 20	170 (mΩ)	5	20	TO-251
SID15N10	Single	N	100	± 20	110 (mΩ)	15	34.7	TO-251
SID04N60SL	Single	N	600	± 30	2.4 (Ω)	4	86	TO-251
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SID04N65SL	Single	N	650	± 30	2.7 (Ω)	4	79	TO-251
SID02N65SL	Single	N	650	± 30	4.8 (Ω)	2	38	TO-251
SID04N60-C	Single	N	600	± 30	3 (Ω)	4	1.25	TO-251
SID04N65J	Single	N	650	± 30	3 (Ω)	4	1.25	TO-251J
SID05N60J	Single	N	600	± 30	2.5 (Ω)	5	1.25	TO-251J
SID20N06-90I	Single	N	60	± 20	94 (mΩ)	19	50	TO-251P
SID10N30-600I	Single	N	300	± 20	600 (mΩ)	7.5	50	TO-251P
SID9971-S	Single	N	60	± 20	36 (mΩ)	25	39	TO-251S
SSD3055	Single	N	30	± 20	22 (mΩ)	18	25	TO-252(D-Pack)
SSD9973	Single	N	60	± 20	90 (mΩ)	10	20.8	TO-252(D-Pack)
SSD9971	Single	N	60	± 20	36 (mΩ)	25	39	TO-252(D-Pack)
SSD9435	Single	P	-30	± 20	50 (mΩ)	-20	25	TO-252(D-Pack)
SSD2504	Single	N	100	± 20	220 (mΩ)	5	20	TO-252(D-Pack)
SSD20P03-60	Single	P	-30	± 20	59 (mΩ)	-24	50	TO-252(D-Pack)
SSD60N04-12D	Single	N	40	± 20	12 (mΩ)	53	50	TO-252(D-Pack)
SSD10N20-400D	Single	N	200	± 20	400 (mΩ)	9.2	50	TO-252(D-Pack)
SSD40P04-20D	Single	P	-40	± 20	30 (mΩ)	-36	50	TO-252(D-Pack)
SSD20N10-250D	Single	N	100	± 20	280 (mΩ)	11	50	TO-252(D-Pack)
SSD30N10-70D	Single	N	100	± 20	78 (mΩ)	21	50	TO-252(D-Pack)
SSD30P06-45D	Single	P	-60	± 20	54 (mΩ)	-25	50	TO-252(D-Pack)
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSD20P06-135D	Single	P	-60	± 20	135 (mΩ)	-16	50	TO-252(D-Pack)
SSD20P04-60D	Single	P	-40	± 20	69 (mΩ)	-22	50	TO-252(D-Pack)
SSD20N06-90D	Single	N	60	± 20	94 (mΩ)	19	50	TO-252(D-Pack)
SSD30N06-39D	Single	N	60	± 20	38 (mΩ)	19	50	TO-252(D-Pack)
SSD40N04-20D	Single	N	40	± 20	22 (mΩ)	39	50	TO-252(D-Pack)
SSD50N06-15D	Single	N	60	± 20	13 (mΩ)	51	50	TO-252(D-Pack)
SSD50P03-09D	Single	P	-30	± 25	9 (mΩ)	-61	50	TO-252(D-Pack)
SSD50P06-15D	Single	P	-60	± 20	17 (mΩ)	-44	50	TO-252(D-Pack)
SSD70N03-04D	Single	N	30	± 20	6 (mΩ)	75	50	TO-252(D-Pack)
SSD70N04-06D	Single	N	40	± 20	6 (mΩ)	75	50	TO-252(D-Pack)
SSD30N10-50D	Single	N	100	± 20	50 (mΩ)	20	50	TO-252(D-Pack)
SSD15N10	Single	N	100	± 20	100 (mΩ)	15	44.6	TO-252(D-Pack)
SSD40N10-30D	Single	N	100	± 20	36 (mΩ)	26	50	TO-252(D-Pack)
SSD95N03	Single	N	30	± 20	4 (mΩ)	96	62.5	TO-252(D-Pack)
SSD40P04-20DE	Single	P	-40	± 20	30 (mΩ)	-36	50	TO-252(D-Pack)
SSD20N10-130D	Single	N	90	± 20	130 (mΩ)	17	50	TO-252(D-Pack)
SSD12P10	Single	P	-100	± 20	210 (mΩ)	-12	35.7	TO-252(D-Pack)
SSD30N03-40D	Single	N	30	± 20	26 (mΩ)	34	50	TO-252(D-Pack)

SSD2504S	Single	N	100	± 20	370 (mΩ)	5.4	20.8	TO-252(D-Pack)
SSD25N10	Single	N	100	± 20	48 (mΩ)	25	52	TO-252(D-Pack)
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSD14N25-280D	Single	N	250	± 20	280 (mΩ)	10.9	50	TO-252(D-Pack)
SSD30N15-60D	Single	N	150	± 20	69 (mΩ)	22	50	TO-252(D-Pack)
SSD50N10-18D	Single	N	100	± 20	18 (mΩ)	43	50	TO-252(D-Pack)
SSD50N10	Single	N	100	± 20	22 (mΩ)	50	90	TO-252(D-Pack)
SSD30N10-78D	Single	N	100	± 20	78 (mΩ)	21	50	TO-252(D-Pack)
SSD04N60SL	Single	N	600	± 30	2.4 (Ω)	4	77	TO-252(D-Pack)
SSD04N65SL	Single	N	650	± 30	2.7 (Ω)	4	77	TO-252(D-Pack)
SSD20P15-295D	Single	P	-150	± 20	295 (mΩ)	-10.7	50	TO-252(D-Pack)
SSD20N20-125D	Single	N	200	± 20	260 (mΩ)	12	50	TO-252(D-Pack)
SSD04N80SL	Single	N	800	± 30	3.8 (Ω)	4	95	TO-252(D-Pack)
SSD06N70SL	Single	N	700	± 30	1.7 (Ω)	6	128	TO-252(D-Pack)
SSD05N50SL	Single	N	500	± 30	1.5 (Ω)	5	76	TO-252(D-Pack)
SSD02N65SL	Single	N	650	± 30	4.8 (Ω)	2	36	TO-252(D-Pack)
SSD50N08-14D	Single	N	80	± 20	11 (mΩ)	55	50	TO-252(D-Pack)
SSD09N10	Single	N	100	± 20	152 (mΩ)	9	31	TO-252(D-Pack)
SSD02N60SL	Single	N	600	± 30	4.2 (Ω)	2	34	TO-252(D-Pack)
SSD50N03-C	Single	N	30	± 20	9 (mΩ)	51	41	TO-252(D-Pack)
SSD80N03-C	Single	N	30	± 20	5.5 (mΩ)	80	59	TO-252(D-Pack)
SSD20N15	Single	N	150	± 25	70 (mΩ)	20	50	TO-252(D-Pack)
SSD14N02E	Single	N	20	± 12	19.5 (mΩ)	14.7	6.3	TO-252(D-Pack)
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSD80N03J	Single	N	30	± 20	6.5 (mΩ)	80	1.25	TO-252(D-Pack)
SSD40P04J	Single	P	-40	± 20	14 (mΩ)	-40	1.25	TO-252(D-Pack)
SSD01N65J	Single	N	650	± 20	14 (Ω)	1	1.25	TO-252(D-Pack)
SSD02N60J	Single	N	600	± 20	4.4 (Ω)	2	1.25	TO-252(D-Pack)
SSD04N60J	Single	N	600	± 30	3 (Ω)	4	1.25	TO-252(D-Pack)
SSD04N65J	Single	N	650	± 30	3 (Ω)	4	1.25	TO-252(D-Pack)
SSD05N60J	Single	N	600	± 30	2.5 (Ω)	5	1.25	TO-252(D-Pack)
SSD30N03J	Single	N	30	± 20	22 (mΩ)	30	1.25	TO-252(D-Pack)
SSD40N10J	Single	N	100	± 20	17 (mΩ)	40	1.25	TO-252(D-Pack)
SSD47N06	Single	N	60	± 20	12 (mΩ)	47	52	TO-252(D-Pack)
SSD50N03J	Single	N	30	± 20	11 (mΩ)	50	1.25	TO-252(D-Pack)
SSD60N10-13D	Single	N	100	± 20	13 (mΩ)	51	50	TO-252(D-Pack)
SSD80N06-05D	Single	N	60	± 20	5.9 (mΩ)	76	50	TO-252(D-Pack)
SSD55P30J	Single	P	-55	± 20	40 (mΩ)	-30	1.25	TO-252(D-Pack)
SSD30N02	Single	N	20	± 12	21 (mΩ)	30	27.8	TO-252(D-Pack)
SSD75N06J	Single	N	60	± 20	11.5 (mΩ)	75	1.25	TO-252(D-Pack)
SSD25P06	Single	P	-60	± 20	40 (mΩ)	-25	40	TO-252(D-Pack)
SSD50N06J	Single	N	60	± 20	20 (mΩ)	50	1.25	TO-252(D-Pack)
SSD35P03	Single	P	-30	± 20	28 (mΩ)	-35	50	TO-252(D-Pack)
SSD15P10	Single	P	-100	± 20	90 (mΩ)	-15	50	TO-252(D-Pack)
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
SSD20N06	Single	N	60	± 20	40 (mΩ)	20	31.3	TO-252(D-Pack)
SSD57P03-C	Single	P	-30	± 20	10 (mΩ)	-57	52.1	TO-252(D-Pack)
SSD56N04-C	Single	N	40	± 20	8.5 (mΩ)	56	44.6	TO-252(D-Pack)
SSD35P06-C	Single	P	-60	± 20	25 (mΩ)	-35	50	TO-252(D-Pack)
SIK04N65SL	Single	N	650	± 30	2.7 (Ω)	4	95	TO-262
SIK04N60SL	Single	N	600	± 30	2.4 (Ω)	4	95	TO-262
SSU50N10	Single	N	100	± 20	22 (mΩ)	54	104	TO-263(D ² -Pack)
SSU04N65	Single	N	650	± 30	2.6 (Ω)	4	112	TO-263(D ² -Pack)
SSU07N65SL	Single	N	650	± 30	1400 (mΩ)	7	140	TO-263(D ² -Pack)
SSU90N04-02B	Single	N	40	± 20	2.3 (mΩ)	162	234	TO-263(D ² -Pack)
SSU40N01	Single	N	40	± 20	2.2 (mΩ)	149	83	TO-263(D ² -Pack)
2N7000	Single	N	60	± 20	5 (Ω)	0.2	0.625	TO-92
SJV01N65B	Single	N	650	± 20	14 (Ω)	1	0.625	TO-92
STT3599C	Dual	N	30	± 20	63 (mΩ)	3.7	1.15	TSOP-6
-	-	P	-30	± 20	112 (mΩ)	-2.7	1.15	-
STT3962N	Dual	N	60	± 20	153 (mΩ)	2.3	1.15	TSOP-6
STT3490N	Single	N	150	± 20	700 (mΩ)	1.2	2	TSOP-6
STT3402N	Single	N	30	± 20	27 (mΩ)	6.3	1.6	TSOP-6
STT3458N	Single	N	60	± 20	92 (mΩ)	3.4	2	TSOP-6

STT3470N	Single	N	100	± 20	280 (mΩ)	2.2	2	TSOP-6
STT3434N	Single	N	30	± 12	32 (mΩ)	6.5	2	TSOP-6
Part Number	Configuration	Type	V _{DSS} (V)	V _{GS} (V)	R _{DS(on)} (Ohms)	I _D (A)	P _D (W)	Package
STT3405P	Single	P	-20	± 12	56 (mΩ)	-4.9	2	TSOP-6
STT3457P	Single	P	-30	± 20	60 (mΩ)	-4	2	TSOP-6
STT3463P	Single	P	-60	± 20	180 (mΩ)	-2.7	2	TSOP-6
STT3471P	Single	P	-100	± 20	350 (mΩ)	-2	2	TSOP-6
STT3962NE	Dual	N	60	± 20	153 (mΩ)	2.3	1.15	TSOP-6
STT3922N	Dual	N	20	± 8	47 (mΩ)	4.1	1.15	TSOP-6
STT3810N	Dual	N	20	± 10	24.5 (mΩ)	6	0.83	TSOP-6
STT3808NE	Dual	N	20	± 8	20 (mΩ)	6	0.83	TSOP-6
STT3930N	Dual	N	30	± 20	58 (mΩ)	3.5	1.3	TSOP-6
STT3921P	Dual	P	-20	± 12	130 (mΩ)	-2.5	1.15	TSOP-6
STT3524C	Dual	N	20	± 8	47 (mΩ)	4.1	1.15	TSOP-6
-	-	P	-20	± 8	79 (mΩ)	-3.2	1.15	-
SGT6920NH	Dual	N	20	± 8	22 (mΩ)	6.8	1.2	TSSOP-8
SWE3134J-C	Single	N	20	± 12	380 (mΩ)	0.75	0.1	WBFBP-03E

Copyright © 1998-2018 SeCoS Corporation. All rights reserved.